SUPPLEMENTAL INDEX FOR VOLUME 32*†

Actinomyces sp., California citrus red scale infection by, 829
scabies, potato pit scab due to, bacterial relations, 6
soil fauna effects on, 6
Alfalfa, chloropicrin soil fumigation effects on, 13
dwarf, relation to Pierce's grape disease, 8
transmission by leaf hopper, 10
witches' broom, virus (?) etiology and effects, 13
Alkyl-dithiocarbamates, metallic, as fungicides and phytocides, 6
Alternaria radicina, carrot storage disease due to, control, 830
solani, resistance of So. American Lycopersicons to, 12
on tomato, control, by copper dusts, factors influencing, 8
flea bettle control improving, 8
AMERICAN PHYTOPATHOLOGICAL SOCIETY, War Emergency Committee, statement and organization, 831
AMES, RALPH W., (829)
amylovorus (Bacillus), 12
ANDERSON, E. G., (13)
angulatum (Bacterium), 1, 2
Annelids, potato pit scab role, 6
Antagonisms, fungus-, Pythium by Aspergillus, 9
Pythium by Trichoderma, 9
Aonidiella aurantii, mass infection with bacteria, 829
Aphids, on cantaloupe, breeding for resistance to, 10
Apple, metallic alkyl-dithiocarbamates as fungicides for, 6
premature drop, sprays preventing, compatibility with other sprays, 11
aroideae (Bacillus), 12
Aspergillus niger, effect on Pythium infection of corn, 9

Bacillus spp., phytopathogenic, nitrogen sources, 12
"C," California citrus red scale infection by, 829
Barbarea vulgaris, potato yellow dwarf on, 7
Barley, chloropicrin soil fumigation effects on, 13
loose smut, intermediate form as influenced by temp. and moisture, 11
Bean, Rhizoctonia isolates from, pathogenicity and cross inoculations, 14
rust, bordeaux fungicidal action, mechanism, 830
BENNETT, C. W., 826
Big vein, lettuce-, soil moisture relations, 829
Biological control of: California citrus red scale by bacterial infection, 829
mealy bugs by fungus parasite, 7
Pythium infection of corn, 9
BITANCOURT, A. A., 827
Blight, chestnut, 7
oats bacterial halo-, 12
sorghum seedling-, causes in Okla., 9
stone fruit Coryneum, 827
tomato early-, 8
tomato leaf-, 12
BLODGETT, EARLE C., 827
Bordeaux mixture (see under Fungicides)
Botrytis cinerea, carrot storage rot due to, control, 830
Breeding, cantaloupe, for resistance to diseases and pests, 10
cucumber, for mosaic resistance, 782
oats, for bacterial halo blight resistance, 12
sugar beet, for curly top resistance, 828
tomato, for leaf blight resistance, 12
Bunt, wheat-, 9

Cantaloupe, diseases and pests, breeding for resistance to, 10
downy mildew, breeding for resistance to, 10
powdery mildew, resistance, assay method, 14
strains, powdery mildew reactions in greenhouse vs. field, 14
Capsella bursa-pastoris, potato yellow dwarf on, 7
Carneocephala spp., as vectors of: alfalfa dwarf, 10
Pierce's disease of grape, 8
carotovorus (Bacillus), 12
Carrot, root scab, Phytomonas carotae causing, 826
storage diseases, causes and control, 830
CARSNER, EUBANKS, 827
Cauliflower, Rhizoctonia isolates from, pathogenicity and cross inoculations, 14
Cherry, Capulín, Elsinoë (new) on, 11
choke-, Sphaceloma on, 11
metallic alkyl-dithiocarbamates as fungicides for, 6
prune-dwarf inoculations negative on, 746
Chestnut, blight, behavior in Calif., 7
Chloropicrin, soil fumigation by, effect on crops, 13
Chlorotic streak, sugar cane-, hot water treatment for red rot and, 5
Citrus, California red scale, mass infection by bacteria, 829

* A package of cards bearing the following index entries for volume 32 was inadvertently mislaid and only recently recovered. These entries are therefore here published as a supplemental index for last year's volume, with regrets for the delay and for the inconvenience to others thus occasioned.—FREDERICK V. RAND.

† This portion of the index may be removed and bound with the 1942 index.

psorosis, distribution of cases in orchards, statistical study, 827
Clubroot, of crucifers, 9
Colletotrichum falcatum, on sugar cane, hot water treatment effects on host and fungus, 5
Copper, fungicidal (see under Fungicides)
Corn, Pythium graminicolum on, seedling response and factors influencing, 9
smut, adaptation and environal "carry over" effects in Ustilago, 14
coronofaciens (Pseudomonas), 12
Coryneum beijerinckii, on stone fruits, hosts and injuries, 827
Cotton, Thielaviopsis root rot, general study, 752
Crown gall, on tomato, development, vitamin B_1 role, 8
Crucifers, clubroot, mustard oil effects on spores of pathogen, 9
Cucumber, eggplant "yellows" transmitted to, 10
Curly top, sugar beet-, breeding for resistance to, 828
virus, concentration, factors influencing, 6
longevity in dried tissue, 826

Damping-off, corn-, 9
DIAMOND, ALBERT E., (10)
Diaphania spp., on cantaloupe, breeding for resistance to, 10
Diluents, fungicidal (see under Fungicides)
3,5-Dinitro-o-cresol, Sclerotinia growth inhibition by, 10
Diplodia zeae, effect on Pythium infection of corn, 9
spores, production and germination in culture, 12
Distribution of: Endothia parasitica, 7
prune dwarf virus, 741
Dithiocarbamates, metallic alkyl-, as fungicides and phytocides, 6
Draeculacephala spp., as vectors of: alfalfa dwarf, 10
Pierce's grape disease, 8
DUGGAR, B. M., (8)
Dusts, fungicidal (see under Fungicides)
Dwarf disease, alfalfa-, relation to Pierce's grape disease, 8
transmission by leaf hoppers, 10

Eggplant, "yellows," virus transmission, hosts and properties, 10
Elsinoë **n. sp.**, on Prunus capuli, 11
Endosclerotium **pseudococcia** n. sp., mealy bug control by, 7
Endothia parasitica, on chestnut, behavior in Calif., 7
Erwinia spp., nitrogen sources for, 12
Erysiphe cichoracearum, on cantaloupe, breeding for resistance to, 10
polygoni, perithecia resembling Microsphaera, 828
FAWCETT, H. S., (827)
Flax, chloropicrin soil fumigation effects on, 13
rust, pathogenicity inheritance in physiologic-race crosses, 5
Flea beetles, on tomato, control improving early-blight control, 8
FORBES, I. L., 5
FRANCIS, THOMAS, JR., (762)
FRAZIER, N. W., (8), (10)
FRIEDMAN, B. A., 762
Fruit drop, sprays preventing premature apple-, compatibility with other sprays, 11
Fungi, California citrus red scale infection by, 829
Fungicidal action, lime and host-leaf role on bordeaux-, 830
Fungicides, apple-, compatibility with premature drop-preventive sprays, 11
assay, by dosage-for-equal-control, 10
copper-, bordeaux, fungicidal action vs. lime and host leaves, 830
compatibility of diluent dusts with and without Ca arsenate, 6
dusts, factors influencing performance, 8
copper-derris, for tomato early blight-flea beetle control, 8
diluents, performance, properties and factors influencing, 13

Gases, natural illuminating effect on plants, 829
GIDDINGS, N. J., 6
GOLDSWORTHY, M. C., 6
Grape, Pierce's disease, transmission by leaf hoppers, 8
Greenhouse pests, mealy bugs, control by fungus parasite, 7
Growth substances, as fruit drop-preventive sprays, compatibility with other sprays, 11

HANSING, E. D., 7
HARRAR, J. G., 7
HARRIS, M. R., 7
HEALD, F. D., 13
Helminthosporium sativum, effect on Pythium infection of corn, 9
HENRY, BERCH W., 8
HEUBERGER, JOHN W., 8
HEWITT, WM. B., 8, (10)
HILDEBRAND, E. M., 741
HO, WEN-CHUN, 9
HOFFMASTER, DONALD E., 9
HOLTON, C. S., 9
HOOKER, W. J., 9
HOPPERSTEAD, S. L., (6)
Hops, downy mildew, control by fungicides on string supports, 830
HORSFALL, JAMES G., 10
HOUSTON, BYRON R., (8), 10
HOYMAN, WM. G., 10

Immunity, virus-, negative in sugar cane mosaic, 5
Inheritance, fungus-, in Melampsora, 5
in Tilletia, 9
Insects as vectors, alfalfa dwarf, by leaf hoppers, 10
Pierce's grape disease, by leaf hoppers, 8
prune dwarf, by aphids (?), 742
IVANOFF, S. S., 10

JENKINS, ANNA E., 11
JOSEPHSON, L. M., 11

KADOW, K. J., 11
Kalanchoe diagremontiana, potato yellow dwarf on, 7
KENT, G. C., 12
KING, C. J., 752
KINGSOLVER, C. H., 12
KLOTZ, L. J., (829)
KOEPPER, JAMES M., (9)

Leaf hoppers, as vectors of alfalfa dwarf, 10
Leaf spot, on Prunus capuli, Elsinoë causing, 11
Lettuce, big vein disease, soil moisture relations, 829
Lime, fungicidal role in bordeaux, 830
LOCKE, S. B., 12
LOEGERING, W. Q., 12
Lycopersicon spp., leaf blight resistance of So. American, 12

MCKELVEY, J. J., JR., (7)
MCLAUGHLIN, J. HARVEY, 13
Malachite green, Sclerotinia growth inhibition by, 10
Mealy bugs, control by fungus parasite, 7
Medicago lupulina, potato yellow dwarf in, 7
MELHUS, I. E., (13)
MENZIES, J. D., 13
Mildew, cantaloupe downy-, 10
cantaloupe powdery-, 10, 14
hops downy-, 830
MILLS, P. J., (5)
Mites, potato pit scab role, 6
MOORE, M. B., 13
Mosaic, sugar cane, "intermediate" form, identity, 5
MURPHY, ALBERT M., (828)
Mustard oils, effect on Plasmodiophora spore germination, 9
MYERS, C. H., (773)

Naphthaleneacetic acid, as fruit drop-preventive, compatibility with other sprays, 11
Nematodes, potato pit scab role, 6
NIKITIN, A. A., 13
Nitrogen, sources for phytopathogenic peritrichous bacteria, 12

Oats, bacterial halo blight, reactions of vars. and selections, 12
chloropicrin soil fumigation effects on, 13
Orchard pests, mealy bugs, control by fungus parasite, 7
OWEN, F. V., 828

Pathogenicity, inheritance in Melampsora, 5
in Tilletia, 9
Pathogens, peritrichous bacterial plant-, nitrogen sources for, 12
Peach, prune dwarf (exp.) on, 747
rosette-mosaic, prune dwarf relation to, 750
Peronoplasmopara cubensis, on cantaloupe, breeding for resistance to, 10
PERSON, L. H., 14
PETERSON, A. M., (6)
PETTY, MILTON A., 14
Physiologic races of: Puccinia graminis tritici, 12
Tilletia tritici, 9
Ustilago medians, 11
Ustilago tritici, 13
Phytomonas tumefaciens, in tomato, as influenced by vitamin B_1, 8
phytophthorus (Bacillus), 12
Pierce's disease, of grape, transmission by leaf hopper, 8
Plants, gas (natural illuminating), effects on, 829
Plasmodiophora brassicae, germination of resting spores, mustard-oil effects on, 9
Plum, prune dwarf (exp.) on, 743
Potato, pit scab, bacterial relations, 6
soil fauna effects on, 6
Rhizoctonia isolates from, pathogenicity and cross inoculations, 14
yellow dwarf, control methods, 7
hosts (new), 7
PRESLEY, J. T., (752)
Prune dwarf, distribution, hosts, symptoms, transmission and relationships, 741
Prunus spp., Coryneum blight, hosts and injuries, 827
prune dwarf virus in, general study, 742
capuli, Elsinoë (new) on, 11
PRYOR, DEAN E., 14, 829
Pseudococcus spp., control by fungus parasite, 7
Pseudomonas coronofaciens, in oats, reactions of vars. and selections, 12
Pseudoperonospora humuli, on hops, control by fungicides on string supports, 830
Psorosis, citrus-, distribution of cases in orchards, statistical study, 827
Puccinia graminis tritici, race-15, biotypes within, 12
Pythium sp., in sorghum root-and-stalk-rot complex, 9
graminicolum, on corn, mixed infection, effect on seedling response, 9
seedling response and factors influencing, 9

Red scale, California citrus-, mass infection by bacteria, 829
Resistance, cantaloupe, to diseases and pests, 10
to powdery mildew, 14
corn, to Pythium graminicolum, 9
Lycopersicon spp., to leaf blights, 12
oats, to bacterial halo blight, 12
sugar beet, to curly top, 828
Rhizoctonia spp., isolates from various hosts, pathogenicity and cross inoculations, 14
solani, effect on Pythium infection of corn, 9
RIKER, A. J., (8)
ROBERTS, CATHERINE, 829

Root-and-stalk-rot complex, sorghum-, 9
Root rot, carrot storage-, causes and control, 830
cotton Thielaviopsis, 752
Root scab, carrot bacterial, 826
Rosette-mosaic, peach-, prune dwarf relation to, 750
Rot, sorghum root-and-stalk-, 9
sugar cane red-, 5
Rust, bean-, 830
flax-, 5
wheat stem-, 12

salicis (Bacillus), 12
Scab, carrot bacterial root-, 826
potato pit-, 6
Scale, California citrus red-, mass infection by bacteria, 829
Sclerotinia sclerotiorum, growth inhibition by chemicals, 10
Sclerotium bataticola, in sorghum root-and-stalk-rot complex, 9
Septoria lycopersici, resistance of So. Amer. Lycopersicons to, 12
SMITH, M. A., (6)
Smut, barley loose-, intermediate form, 11
corn Ustilago, 14
wheat loose-, 13
Soils, chloropicrin fumigation, effects on crops, 13
microfauna, effects on potato pit scab, 6
SOKOLOFF, V. P., 829
SOLHEIM, W. G., 829
Sorghum, charcoal rot, Sclerotium bataticola associated, 9
root-and-stalk-rot complex, causes in Okla., 9
Sphaceloma sp., on choke cherry, 11
Sprays, fruit drop-preventive for apple, compatibility with other sprays, 11
STAKMAN, E. C., 12
Stewart's disease, of corn, on dent inbreds, 262
Stone fruits, Coryneum blight hosts and injuries, 827
Sugar beet, chloropicrin soil fumigation effects on, 13
curly top, breeding for resistance to, 828
virus, concentration, factors influencing, 6
longevity in dried tissue, 826
Rhizoctonia isolates from, pathogenicity and cross inoculations, 14
Sugar cane, chlorotic streak, hot water treatment for red rot and, 5
hot water treatment effects on, 5
mosaic, "intermediate" form, identity, 5

tabacum (Bacterium), 1
Taphrina deformans, Torulopsis pulcherrima compared in culture, 829
Technique, culture-, for Diplodia zeae, 12
fungicide assay, by dosage-for-equal-control, 10
resistance, assay in cantaloupe powdery mildew, 14
Thielaviopsis basicola, cotton root rot due to, general study, 752
on tobacco vs. cotton, 760
Tilletia tritici, pathogenicity inheritance in race hybrids, 9
Tobacco, Thielaviopsis basicola on cotton vs., 760
TOLMAN, BION, (828)
Tomato, crown gall on, as influenced by vitamin B_1, 8
early blight, control, by copper dusts, factors influencing, 8
flea beetle control improving, 8
leaf blights, breeding for resistance to, 12
Torulopsis pulcherrima, Taphrina deformans compared in culture, 829
tracheiphilus (Bacillus), 12
Trichoderma lignorum, effect on Pythium infection of corn, 9
Trifolium spp., potato yellow dwarf susceptibility of vars., 7
tumefaciens (Phytomonas), 8, 826

Ustilago medians, on barley, as influenced by temp. and moisture, 11
physiological races, 11
tritici, physiologic races, 13
zeae, adaptation (physical and chemical) and environal "carry over" in, 14

VIRGIN, W. J., 830
Viruses, alfalfa, dwarf, 8, 10
witches' broom (?), 13
aster, yellows, 799
citrus, psorosis, 827
concentration in host, factors influencing, 6
eggplant, "yellows," 10
grape, Pierce's disease, 8
lettuce, big vein, 829
peach, rosette-mosaic, 750
potato, yellow dwarf, 7
prune, dwarf, 741
sugar beet, curly top, 826, 828
sugar cane, chlorotic streak, 5
mosaic, immunity negative in, 5
"intermediate" form, 5
Vitamin B_1, in crown gall development, 8

War Emergency Committee, of Amer. Phytopath. Soc., statement and organization, 831
Wheat, bunt pathogenicity, inheritance in race hybrids, 9
chloropicrin soil fumigation effects on, 13
loose smut, physiologic races, 13
stem rust, biotypes in race-15, 12
WHITAKER, THOMAS W., 14
Witches' broom, alfalfa-, virus (?) etiology and effects, 13

YARWOOD, C. E., 830
Yellow dwarf, potato-, control methods, 7
hosts (new), 7
"Yellows," eggplant-, virus transmission, hosts and properties, 10